# 158F7NF

### Type N Female EZfit® for 1-5/8 in FXL-1873 and AVA7-50 cable



#### Product Classification

**Brand** EZfit®

**Product Type** Wireless and radiating connector

### General Specifications

InterfaceN FemaleBody StyleStraightMounting AngleStraight

Ordering Note CommScope® non-standard product

#### **Electrical Specifications**

Connector Impedance 50 ohm

Operating Frequency Band 0 – 2700 MHz

Cable Impedance 50 ohm

3rd Order IMD, typical -116 dBm @ 1800 MHz 3rd Order IMD Test Method Two +43 dBm carriers


RF Operating Voltage, maximum (vrms) 707.00 V
dc Test Voltage 2000 V
Outer Contact Resistance, maximum 2.00 mOhm
Inner Contact Resistance, minimum 5000 MOhm

Average Power 0.6 kW @ 900 MHz

Peak Power, maximum10.00 kWInsertion Loss, typical0.05 dBShielding Effectiveness-130 dB



# Outline Drawing



# Mechanical Specifications

Outer Contact Attachment MethodClampInner Contact Attachment MethodCaptivatedOuter Contact PlatingTrimetalInner Contact PlatingSilverAttachment Durability25 cyclesInterface Durability500 cycles

Interface Durability MethodIEC 61169-16:9.5Connector Retention Tensile Force2224 N | 500 lbf

Connector Retention Torque13.56 N-m120.00 in lbInsertion Force66.72 N15.00 lbfInsertion Force MethodMIL-C-39012C-3.12, 4.6.9

**Pressurizable** No

### Dimensions

Nominal Size 1-5/8 in

 Diameter
 63.10 mm | 2.48 in

 Length
 70.00 mm | 2.76 in

 Weight
 536.90 g | 1.18 lb

page 2 of 4 March 5, 2019



# **158EZNF**

### **Environmental Specifications**

Operating Temperature  $-40 \,^{\circ}\text{C}$  to  $+85 \,^{\circ}\text{C}$  (-40  $^{\circ}\text{F}$  to  $+185 \,^{\circ}\text{F}$ )

Storage Temperature  $-55 \,^{\circ}\text{C}$  to  $+85 \,^{\circ}\text{C}$  (-67  $^{\circ}\text{F}$  to  $+185 \,^{\circ}\text{F}$ )

Immersion Depth1 mImmersion Test MatingMated

Immersion Test Method IEC 60529:2001, IP68

Water Jetting Test Mating Mated

Water Jetting Test Method IEC 60529:2001, IP66

Moisture Resistance Test Method MIL-STD-202F, Method 106F

Mechanical Shock Test Method MIL-STD-202F, Method 213B, Test Condition C

Thermal Shock Test Method MIL-STD-202F, Method 107G, Test Condition A-1, Low Temperature -55 °C

Vibration Test Method IEC 60068-2-6

Corrosion Test Method MIL-STD-1344A, Method 1001.1, Test Condition A

#### Standard Conditions

**Attenuation, Ambient Temperature** 20 °C | 68 °F **Average Power, Ambient Temperature** 40 °C | 104 °F

#### Return Loss/VSWR

Frequency Band	VSWR	Return Loss (dB)
45–400 MHz	1.02	41.50
401-805 MHz	1.03	37.60
806–960 MHz	1.03	36.90
961–1709 MHz	1.03	35.70
1710-2170 MHz	1.04	33.50
2170–2399 MHz	1.05	31.70
2400-2700 MHz	1.06	30.80

# Regulatory Compliance/Certifications

Agency Classification

RoHS 2011/65/EU Compliant by Exemption

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

China RoHS SJ/T 11364-2014 Above Maximum Concentration Value (MCV)







#### \* Footnotes

**Immersion Depth** Immersion at specified depth for 24 hours

page 3 of 4 March 5, 2019



# 158EZNF

**Insertion Loss, typical** 0.05v freq (GHz) (not applicable for elliptical waveguide)