

Connectors Cables Specialists (CCS) Ltd stocks a superior crimp tool kit housed in a tough PVC carrying case with a moulded plastic tray. The kit contains a cable cutter, coaxial cable stripper, a ratchet tool frame made from hardened steel, and five die sets covering almost any hexagonal dimensions from 1.07mm to 10.9mm across flats. Please consult the table below for each of the five die sets individual crimp dimensions supplied with the Kit.

A screw driver to assist die set change is included in the kit.



CCS330K



Crimp Tool for LMR600

COAXIAL Ratchet Crimp Tool for LMR600 Coaxial Connectors.

Tool frame made from Hardened Steel

*Ratchet Controlled Crimp Cycle
Ratchet Release Option*

CR01LMR600

F Type Compression Tool for RG6/59 Snap & Seal F connectors

This is a heavy duty all steel made tool with non-slip handles and a ratchet controlled cycle mechanism to compress RG6/59 SNAP & SEAL F connectors.



CCS508

<p style="text-align: center;"><u>CCS218</u></p> 	<p><i>CCS offer a professional cable tie gun or also known as a tie wrap gun. HT-218 for cable tie size width up to 4.8mm, thickness up to 1.6mm.</i></p> <p><i>This tough metal framed tie wrap gun will tighten and cut plastic ties and features an adjustable tension thumb wheel to allow the user to decide the level of tightness required on each individual job. The cutting edge is 7 mm wide and is suitable for cable tie sizes from 2.2 mm through to 4.8 mm.</i></p> <p><i>This is a very strong cable tie / wrap gun and is a must for the installer's tool kit.</i></p>
<p><i>Coaxial Cable stripper RG59 & RG6 We are pleased to offer our rotary, 3 blade, and coax cable stripper. The tool removes the cable jacket, braid and dielectric in one stripping operation. The tool is set-up to strip RG59 cable on one side of the reversible V-block and RG6 cable on the other side. The tool is supplied with an allen key for fine adjustment of the three individual cutting blades. RG-59/62/6/4C/5C Full user instructions are supplied with the tool.</i></p> <p><i>The stripping dimensions between the blades are: 8 MM braid & 4MM dielectric</i></p>	<p style="text-align: center;"><u>CCS312A</u></p> 
	<p style="text-align: center;"><i>RJ45 crimp Tool HT-568</i></p> <p><i>RJ45 MODULAR PLUG CRIMP TOOL FOR RJ11 AND RJ12 CONNECTORS</i></p> <p style="text-align: center;"><u>CR01RJ45</u></p> <p><i>An all steel frame construction with spring loaded mechanism to crimp RJ45 plugs. Incorporated in the tool are a cable cutter and stripping blades to remove the outer jacket from flat and round UTP/STP cables.</i></p> <p style="text-align: center;"><u>CR01RJ45</u></p>

CCS offer their D Type Ratchet controlled crimp tool that is made from top quality hardened steel and fitted with a precision die set to crimp rolled Sub'D contacts AWG18-22 and 24-30. The ratchet mechanism ensures the correct crimp cycle is achieved each and every time giving 100% quality crimp contacts.

For the insertion/extraction tool please see our part number CCS101

CCS225D



D Type Connector Insertion & Extraction Tool for D Crimp Contact. HT-101

CCS101 tool is for inserting and extracting rolled male and female Sub'D centre contacts. This assists in the assembly and repair of all D crimp style connectors.

Insertion and Extractor tool for RS232 (AWG20) Crimp-Type contact pin use.

The red end inserts the pin and white end extracts the pin.

CCS101

F Connector installation and extraction Tool

Our F-Connector tool has two functions, a 7/16 in. hex socket and 3/8-32 threaded end. The hex socket aids the installation and removal of F-Connectors in hard to reach and crowded conditions.

CCS2203F



Connectors Cables Specialists (CCS) LTD, Unit 6 Stort Mill, Riverway,

Harlow, Essex, CM20 2SN

Tel: 01279 639251 Email: sales@ccsukltd.co.uk



Coax Crimp Tool coaxial for coaxial CT167 connectors and others RG6, RG11, RG213 ferrules.

CR01CT167

Coaxial Cable Stripper RG213 RG214 URM67 RG11 and Thick Ethernet. A rotary, 3 blade, coaxial cable stripper. Removes cable jacket, braid and dielectric in one stripping operation. The tool is set-up to strip coaxial cables with an O/D of app. 10.3 MM such as RG213 and Thick Ethernet cable. The tool is supplied with an allen key for fine adjustment of the three individual cutting blades. User instructions are supplied with the tool.

The stripping dimensions between the blades are: 8 MM braid & 4MM dielectric

CST213



Coaxial Ratchet Crimp Tool frame Made From Hardened Steel Ratchet Controlled Crimp Cycle Ratchet Release Option RG213 RG214 RG11 URM67 LMR400

Hex Sizes 0.1", 0.128", 0.429" 2.54, 3.25, 10.9mm

CR01213

Email sales@ccsukltd.co.uk

Tel: +441279 639251 Fax: +441279641118

**CRIMP TOOL FOR INSULATED
TERMINALS AND WIRE END
SLEEVES**

SIZES ARE AS FOLLOWS

AWG 22-18, 16-14, 12-10,

DIN 0.5-1.0 1.5-2.5, 4.0-6.00MM SQ

CR01301H



**SMA, SMB, SMC, RATCHET CRIMP
TOOL - Our tool frame is made from
top quality hardened Steel for long
life use, it features a ratchet con-
trolled cycle mechanism to ensure a
correct crimp every time and is fitted
with a precision manufactured die
set to crimp coaxial connectors with
very small diameter cables RG174,
178, 179, 180 and 187.**

**The Die Set hexagonal across flats
dimensions are:**

.028" (0.71 MM)

.039" (0.99 MM)

.047" (1.19 MM)

.100" (2.54 MM)

.128" (3.25 MM)

.151" (3.84 MM)

CR01301T

**RATCHET CRIMP TOOL FOR
RG174, RG179 BELDEN 8218 & FI-
BRE OPTIC**

HEX SIZES ARE AS FOLLOWS

0.042" 1.07MM, 0.068" 1.72MM,

0.078" 1.98MM, 0.128" 3.25MM,

0.151" 3.84MM

0.178" 4.52MM

CR01336J



Connectors Cables Specialists (CCS) LTD, Unit 6 Stort Mill, Riverway,

Harlow, Essex, CM20 2SN

Tel: 01279 639251 Email: sales@ccsukltd.co.uk



CR015075

**CR015075 Coaxial crimp tool for BNC, TNC, N Type, and UHF - Full Ratchet Crimp Cycle. RG58CU, RG142, RG59, RG62, LMR195
RG174 - FOUR PART CONNECTOR Crimps The Following Connectors and Others. Please call for further applications.
BNC - PSF1/3
BNC / TNC / UHF- RG174 - 4 Part Connector
BNC / TNC - RG179 - 4 Part Connector
BNC / TNC / UHF / N / SMA - RG58 (outer crimp sleeve only) To crimp the SMA contact you need tool CR01301T
BNC / TNC - RG59
BNC - CT100
Hex Sizes 0.256" 0.068" 0.213" (6.502mm 5.41mm 1.72mm)**

Email sales@ccsukltd.co.uk

Tel: +441279 639251 Fax: +441279641118

**CST5859 ROTARY COAX CABLE
STRIPPING TOOL For Cables**

**RG58, URM43, URM76, Belden
9907, RG59, RG62, URM70, PSF1/3**

CST5859



**CCS offer a pocket size coaxial cable
stripper for RG6/59 (CT100) & RG7/11
(CT125 CT167) Lightweight, compact,
cost-effective stripper. Strips coaxial
jacket and inner conductor in one op-
eration. No adjustment required.**

**Cable preparation made easy using
this tool. The pre-set coaxial cable
stripper needs no setting up to strip
RG6/59 cable at one end and RG7/11
cable at the other. The compact strip-
per cuts the outer jacket and the
braid/dielectric in one stripping oper-
ation each to a length of 0.25" (6.4
mm).**

**This is a great little tool and will eas-
ily fit in a pocket for quick use.**

CCS323

Much more available from our website. Just click the link below.

[CCS Tooling Weblink](#)

Email sales@ccsukltd.co.uk

Tel: +441279 639251 Fax: +441279641118